

WEST Search History

DATE: Monday, June 02, 2003

Set Name Query
side by side

DB=USPT,PCPB,DWPI; PLUR=YES; OP=ADJ

Set Name	Hit Count	Set Name
side by side	result set	
L31 L30 and I23	24	L31
L30 L26 and pathogen	430	L30
L29 L28 and pathogen	61	L29
L28 L20 and I23	411	L28
L27 L26 same I23	3	L27
L26 multiwell	2558	L26
L25 L24 same pathogen	3	L25
L24 L23 same "wells"	17854	L24
L23 liquid crystal	203198	L23
L22 L21 same liquid crystal	0	L22
L21 L20 same pathogen	148	L21
L20 microtitre or microtiter	29057	L20
DB=USPT,PCPB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ		
L19 ((((((assay)and (well same groove) and layer)and depth) and width)) and "5" adj nm)	3	L19
L18 ((((((assay)and (well same groove) and layer)and depth)and width) not @PY>1999)) and 0.1)	25	L18
L17 ((((((assay)and (well same groove) and layer)and depth)and width) not @PY>1999)	32	L17
L16 ((((((assay)and (well same groove) and layer)and depth) and width)	173	L16
L15 ((((((assay)and (well same groove) and layer) and depth)	228	L15
L14 (((assay)and (well same groove)) and layer)	486	L14
L13 (((polydimethylsiloxane)and (liquid adj crystal))and silver) and (well same groove)	2	L13
L12 (((polydimethylsiloxane)and (liquid adj crystal)) and silver)	123	L12
L11 (((polydimethylsiloxane) and (liquid adj crystal))	477	L11
L10 (polydimethylsiloxane)	16939	L10
L9 ((((((liquid adj crystal)and assay)and polymer)and bead)not @PY>1999) and polystyrene)	40	L9
L8 ((((((liquid adj crystal)and assay)and polymer)and bead)not @PY>1999) and polydimethylsiloxane)	0	L8
L7 ((((((liquid adj crystal)and assay)and polymer)and bead) not @PY>1999)	68	L7
L6 ((((((liquid adj crystal)and assay)and polymer) and bead)	344	L6
L5 ((((((liquid adj crystal)and assay) and polymer)	1032	L5
L4 (((liquid adj crystal) and assay)	1677	L4
L3 (((liquid adj crystal)and pathogen) and (substrate same coating))	52	L3

L2 ((liquid adj crystal) and pathogen)
 L1 (liquid adj crystal)

END OF SEARCH HISTORY